

UNCLASSIFIED

AD 408103

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

RESEARCH PROGRAM ON CLOSED-CYCLE MAGNETOPLASMADYNAMIC
ELECTRICAL POWER GENERATION WITH NON-EQUILIBRIUM IONIZATION

Quarterly Report No. 4

(Period Ending 15 June 1963)

CATALOGED BY DDC
AC NO.

AS 408103

Contract: Nonr-3866(00)
Project Code: 9800
Contract Date: 15 June 1962

Contract Expiration Date: 15 December 1963
ARPA Order: 326-327

Project Scientist: Dr. M. E. Talaat (Phone: 687-3800, Ext. 9607)

Contractor: Martin Marietta Corporation, Nuclear Division
Baltimore 3, Maryland

1. Introduction

The objectives of this program are to experimentally demonstrate the principle of non-equilibrium ionization under actual closed-cycle magnetoplasmodynamic generator operation conditions, to verify the basic phenomena underlying the behavior of moving ionized gases in the non-equilibrium state when interacting with a magnetic field by correlation of the experimental results with the theory of non-equilibrium ionization and to investigate the potential performance of the MPD power generator with non-equilibrium ionization in closed-cycle systems having a reactor heat source.

To bring about these objectives a closed-cycle MPD electrical power generator research loop has been fabricated and erected, a theory of the MPD generator with non-equilibrium ionization has been developed and is being correlated with experiments on cesium-seeded helium discharge tubes and the performance of the closed loop MPD electrical power generator with non-equilibrium ionization is being investigated with respect to the feasible duct and loop arrangements.

MNU-2866. b

NO OTS

100-1000
100-1000

2. Closed Loop for MPD Electrical Power Generation Experiments

During the past quarterly period the fabrication and installation of the closed loop for MPD electrical power generation experiments have been completed. The checkout, purging, and outgassing of the entire loop assembly is being carried out, first at low temperature using a low temperature duct assembly consisting of a flow resistance to simulate the pressure drop through the heater, a low temperature nozzle for Mach number 0.3-0.56, a duct $3/8'' \times 1\frac{1}{8}'' \times 2\frac{5}{8}''$ (with four pairs of electrodes) and an exhaust section for connection to the cooler. The low temperature duct is capable of operation at temperatures around 800°K .

3. Non-Equilibrium Ionization Studies

More cesium-seeded helium discharge tubes with hot electrodes have been fabricated and tested. The helium number density used in the experiments was $n_g = 1.61 \times 10^{24}$ atoms per cubic meter and the cesium number density could be varied by controlling the liquid cesium temperature (the maximum cesium seed number density used in the experiments is $n_{s0} = 8.18 \times 10^{23}$ atoms per cubic meter). The experimental results have been correlated with the theory on non-equilibrium ionization and the comparison between test and calculations was presented at the 4th Symposium on the Engineering Aspects of MHD, in Berkeley, California, April 11, 1963*.

4. Closed Loop MPD Generator Studies

Three different solutions of the equations governing the behavior of the ionized gas in the MPD electrical power generator duct with conditions

* "Comparison Between Test and Calculations of Non-Equilibrium Ionization Conductivities and the Corresponding Electric Fields Required," Paper by M. E. Talaat.

suites to the case of non-equilibrium ionization of the gas have been carried out and will be applied to typical experimental conditions.

5. Plans For Next Period

The checkout of the system using the low temperature duct will be carried out. After the satisfactory completion of the checkout runs the low temperature duct subassembly will then be replaced with the high temperature duct subassembly and the system will be evacuated, outgassed and purged. It will then be charged with the highest purity He available. The impurities will be monitored with a chromatograph, reduced to a minimum, and some runs with non-equilibrium ionization will follow. In addition, correlation of the experimental results with the theory on non-equilibrium ionization are planned and the closed loop MPD generator studies will continue.

DISTRIBUTION LIST

	<u>No. Copies</u>
Director, Advanced Research Projects Agency The Pentagon Washington 25, D. C. Attn: Dr. John Huth	2
Office of Naval Research Power Branch (Code 429) Washington 25, D. C. Attn: John A. Satkowski	6
Office of Naval Research SE Area Washington 25, D. C.	1
U. S. Naval Research Laboratory Washington 25, D. C. Attn: Dr. Alan Kolb, Code 7470 B. J. Wilson, Code 5230 Technical Information Division	1 1 6
Wright-Patterson Air Force Base Aeronautical System Division Ohio Attn: Don Warnock (ASRMFP-2)	1
Air Force Office of Scientific Research Washington 25, D. C. Attn: Dr. Milton M. Slawsky	1
U. S. Naval Ordnance Test Station Propulsion Applied Research Group China Lake, California Attn: Dr. H. Powell Jenkins, Jr.	1
Rome Air Development Center Rome, New York Attn: Mr. Frank J. Mellura	1
U. S. Naval Ordnance Laboratory NA Division White Oak, Maryland Attn: Wallace Knutson Library	1 2
Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia	10

No. Copies

Dr. M. C. Gourdine
Curtiss Wright
Wright Aeronautical Division
Wood-Ridge, New Jersey

Dr. W. O. Carlson
Radio Corporation of America
Defense Electronic Products
Moorestown, New Jersey

Dr. Robert Eustis
Thermosciences Division
Stanford University
Stanford, California

Mr. W. C. Davis
TRW - TAPCO Group
7209 Platt Avenue
Cleveland 4, Ohio

Mr. Stan Markowski
Pratt and Whitney Aircraft
400 Main Street
East Hartford 8, Connecticut

Mr. Seift Hock
Central Electricity Research Laboratories
Cleeve Road, Leatherhead, Surrey
England

Dr. Richard Schamberg
Rand Corporation
1700 S. Main Street
Santa Monica, California

Dr. Sam Naiditch
Unified Science Associates
826 Arroyo Parkway
Pasadena, California

Mr. Wade Dickinson
Bechtel Corporation
141 Battery Street
San Francisco, California